

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<!-- DWXMLSource="properties_nested_xsl.xml" -->
- <xsl:stylesheet version="1.0">
  <xsl:output method="html" version="1.0" encoding="UTF-8" indent="yes"/>
  - <!--
    Martha's COIN 78 Assignment 5 - Part B: XSL for NESTED XML Date: 8/08/10
  -->
  - <xsl:template match="/">
    - <html>
      - <head>
        <title>MultiFamily Properties</title>
      </head>
      - <body>
        <h1 style="text-align: center;">MultiFamily Properties For Sale in San Francisco</h1>
        <h2 style="text-align: center; color: red;">July 1-31, 2007</h2>
        <hr style="color: blue; line-height=3px;">
        <xsl:apply-templates/>
      </body>
    </html>
  </xsl:template>
  <!-- properties styles -->
  - <xsl:template match="properties">
    - <div style="background-color: #f6f6f6; margin: 2em 10em 0 10em; border-left: 3px solid #d8dace; padding:
      .8em; font-family: 'Century Gothic', Geneva, sans-serif; font-size: .75em; min-width: 400px; max-width: 700px;">
      <span style="font-size: 1.8em; font-weight: bold; color: maroon; text-align: center;">Properties for sale</span>
      <xsl:apply-templates/>
    </div>
  </xsl:template>
  <!-- property styles -->
  - <xsl:template match="properties/property">
    - <span style="display: block; margin-top: 1.2em; padding-bottom: .5em; border-bottom: 1px solid #900000;">
      <xsl:apply-templates/>
    </span>
  </xsl:template>
  <!-- address styles -->
  - <xsl:template match="properties/property/address">
    - <span style="display: block; width: 300px; font-size: 110%; font-weight: bold;">
      <xsl:apply-templates/>
    </span>
  </xsl:template>
  <!-- description styles -->
  - <xsl:template match="properties/property/description">
    <span style="font-weight: bold; color: maroon;">Description of unit: </span>
    - <div style="display: block; margin-left: 20px;">
      - <xsl:for-each select="number_of_units">
        <span style="font-weight: bold;"># of Units: </span>
        - <span style="margin: 10px 0px; display: inline;">
          <xsl:value-of select="."/>
          <br/>
        </span>
      </xsl:for-each>
      - <xsl:for-each select="number_of_units_vacant">
        <span style="font-weight: bold;"># of Units Vacant: </span>
      </xsl:for-each>
    </div>
  </xsl:template>
  </xsl:stylesheet>
```

```

    - <span style="margin: 10px 0px; display:inline;">
      <xsl:value-of select="."/>
    </span>
    <br/>
  </xsl:for-each>
- <xsl:for-each select="yard">
  <span style="font-weight: bold;">Yard: </span>
  - <span style="margin: 10px 0px; display:inline;">
    <xsl:value-of select="."/>
  </span>
</xsl:for-each>
<br/>
- <xsl:for-each select="garage">
  <span style="font-weight: bold;">Garage: </span>
  - <span style="margin: 10px 0px; display:inline;">
    <xsl:value-of select="."/>
  </span>
</xsl:for-each>
</div>
</xsl:template>
<!-- realtor styles -->
- <xsl:template match="properties/property/realtor">
  <span style="font-weight:bold; color:maroon;">Realtor: </span>
  - <div style="display: block; margin-left: 20px;">
    - <xsl:for-each select="name">
      - <span style="margin: 10px 0px; display: inline;">
        <xsl:value-of select="."/>
      </span>
    </xsl:for-each>
    <br/>
    - <xsl:for-each select="company">
      - <span style="margin: 10px 0px; display: inline;">
        <xsl:value-of select="."/>
      </span>
    </xsl:for-each>
    <br/>
    - <xsl:for-each select="website">
      - <span style="margin: 10px 0px; display: inline;">
        <xsl:value-of select="."/>
      </span>
    </xsl:for-each>
    <br/>
    - <xsl:for-each select="phone">
      - <span style="margin: 10px 0px; display: inline;">
        <xsl:value-of select="."/>
      </span>
    </xsl:for-each>
    <br/>
  </div>
</xsl:template>
<!-- viewing styles -->
- <xsl:template match="properties/property/viewing">
  - <div style="display: block; margin: 10px 0px;">
    <span style="font-weight:bold; color:maroon;">Viewing: </span>
    - <xsl:for-each select="date_seen">
      <span style="font-weight: bold; margin-left: 15px;">Date Seen: </span>

```

```

- <span style="margin: 10px 0px; display: inline;">
  <xsl:value-of select="."/>
</span>
</xsl:for-each>
- <xsl:for-each select="seen_by_whom">
  <span style="font-weight: bold; margin-left: 15px;">Seen By Whom: </span>
  - <span style="margin: 10px 0px; display: inline; ">
    <xsl:value-of select="."/>
  </span>
</xsl:for-each>
- <xsl:for-each select="date_visited">
  <span style="font-weight: bold; margin-left: 15px;">Date Visited: </span>
  - <span style="margin: 10px 0px; display: inline; ">
    <xsl:value-of select="."/>
  </span>
</xsl:for-each>
- <xsl:for-each select="visited_by_whom">
  <span style="font-weight: bold; margin-left: 15px;">Visited By Whom: </span>
  - <span style="margin: 10px 0px; display: inline; ">
    <xsl:value-of select="."/>
  </span>
</xsl:for-each>
</div>
</xsl:template>
<!-- price styles -->
- <xsl:template match="price">
  <span style="font-weight: bold; color: maroon;">Price: </span>
  - <span style="display: inline; width: 100px; background-color: yellow;">
    $
  <xsl:apply-templates/>
</span>
</xsl:template>
<!-- evaluation styles -->
- <xsl:template match="evaluation">
  - <div style="display: block;">
    <span style="font-weight: bold; color: maroon;">Evaluation: </span>
    - <span style="display: inline;">
      <xsl:apply-templates/>
    </span>
  </div>
</xsl:template>
</xsl:stylesheet>

```