

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<!-- Generic stylesheet for viewing XML -->
- <xsl:stylesheet>
  - <!--
    This template will always be executed, even if this stylesheet is not run on the document r
    -->
  - <xsl:template>
    - <DIV STYLE="font-family:Courier; font-size:10pt; margin-bottom:2em">
      - <!--
        Scoped templates are used so they don't interfere with the "kick-off" template.
        -->
      - <xsl:apply-templates select=".">
        - <xsl:template>
          <xsl:apply-templates/>
        </xsl:template>
      - <xsl:template match="*">
        - <DIV STYLE="margin-left:1em; color:gray">
          <
            <xsl:node-name/>
            <xsl:apply-templates select="@*" />
          </DIV>
        </xsl:template>
      - <xsl:template match="*[node()]">
        - <DIV STYLE="margin-left:1em">
          - <SPAN STYLE="color:gray">
            <
              <xsl:node-name/>
              <xsl:apply-templates select="@*" />
            >
          </SPAN>
          <xsl:apply-templates select="node()" />
        - <SPAN STYLE="color:gray">
          </
            <xsl:node-name/>
          >
        </SPAN>
      </DIV>
    </xsl:template>
  - <xsl:template match="@*">
    - <SPAN STYLE="color:navy">
      <xsl:node-name/>
      ="
    - <SPAN STYLE="color:black">
      <xsl:value-of/>
    </SPAN>
    "
  </SPAN>
</xsl:template>
- <xsl:template match="pi()">
  - <DIV STYLE="margin-left:1em; color:maroon">
    <?
```

```
        <xsl:node-name/>
        <xsl:apply-templates select="@*" />
    ?>
</DIV>
</xsl:template>
- <xsl:template match="cdata()">
- <pre>
    <![CDATA[
        <xsl:value-of/>
    ]]>
</pre>
</xsl:template>
- <xsl:template match="textNode()">
    <xsl:value-of/>
</xsl:template>
</xsl:apply-templates>
</DIV>
</xsl:template>
</xsl:stylesheet>
```